

Грузовики С&С

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Tractor Products



Safety

Comply with the ECE-R29 requirements

Comfort

4-point floating suspension structure cabin

Intelligence

CAN-BUS

User-Friendly Ergonomic Design

Drag Coefficient

0.53(with flow guide cover)

Drive Form	Wheelbase (mm)	Engine	Cab	Transmission	Brake System	Rear Axle/Ratio	Frame (mm)	Suspension	Tire	GCW (kg)
4×2	3500	YC6K1034-30	H2	12JS160TA	Drum/Drum	Welding Housing 4.11	8	3/4+3	12R22.5	34705
4×2	3501	YC6K1242-30	H2	12AS2330TO	Disc/Drum	Welding Housing 3.36	8	3/air	12R22.5	35000
6×4	3300+1350	YC6K1038-30	H2	12JSD180TA	Drum/Drum	Welding Housing 4.11	8	3/4	12R22.5	40000
6×4	3300+1350	YC6K1420-30	H2	12JSD240TA	Drum/Drum	Welding Housing 3.7/4.769	8/8+8	3/4 10/12	12R22.5 12.00R20	40000
6×4	3300+1350	YC6K1242-40	H2	12JSD240TA	Drum/Drum	Welding Housing 3.364/4.769	8/8+8	3/4 10/12	12R22.5 12.00R20	39505/40000
6×4	3300+1350	YC6K1248-40	H2	12AS2330TO	Disc/Disc	Welding Housing 3.364	8	3/air	12R22.5	40000

Construction Truck Products



Safety

Comply with the ECE-R29 requirements; Brake pressure is up to 10 bars

Integrated design

Synchronous design for chassis and upper-body with reserved refitting interface achieves seamless assembling

Perfect design

Finite element analysis and optimization design

Tipper Specifications

Drive Form	Wheelbase(mm)	Engine	Cab	Transmission	Brake System	Rear Axle/Ratio	Frame(mm)	Suspension	Tire	Upbody(mm)
8×4	1950+3050+1350	YC6M340-33 YC6K1034-30	S2	10JSD160	Drum/Drum	Welding Housing 4.769	8+8	12/12/13	12.00R20	6800/7000
8×4	1950+3850+1350	YC6M340-33 YC6K1034-30 YC6M375-33 YC6K1038-40	S2	10JSD160 12JSD180T	Disc/Drum	Welding Housing 5.26/4.769	8+8	12/12/13	12.00R20	7600/7800
6×4	3400+1350	YC6K1034-40	S2	10JSD160	Drum/Drum	Welding Housing 5.26	8+8	12/13	12.00R20	5000/5200
6×4	3825+1350	YC6K1030-30 YC6M290-33 YC6M340-33 YC6K1034-40 YC6K1038-40	S2	10JSD180 10JSD160 10JSD140	Drum/Drum	Welding Housing 5.26	8+8	12/13	12.00R20	5600/5800
6×4	4200+1350	YC6K1034-30 YC6K1038-40	S2	10JSD160 12JSD180T	Drum/Drum	Welding Housing 5.26	8+8	12/13	12.00R20	6000/6200
6×4	4600+1350	YC6K1034-30 YC6K1038-40	S2	10JSD160 12JSD180TA	Drum/Drum	Welding Housing 5.26	8+8	12/13	12.00R20	6500/6700


Concrete Mixer

Drive Form	Wheelbase(mm)	Engine	Cab	Transmission	Brake System	Rear Axle/Ratio	Frame(mm)	Suspension	Tire	Mixer Capacity(mm)
8×4	1950+3450+1350	YC6K1238-40 ISM11E4-385	S2	9JSD180T	Drum/Drum	Welding Housing 4.26	8+8	10/10/12	12.00R20	16/18
6×4	3825+1350	YC6K1034-30 YC6K1238-30 ISME345-30 YC6K1034-40	S2	9JS150T-B 9JS180T 10JSD140	Disc/Drum	Welding Housing 4.769/4.11/4.08	8+8	10/12	11.00R20 12.00R20	10
6×4	4200+1350	YC6K1034-30 YC6K1238-30 ISME385-30 YC6K1038-40	S2	9JS150T-B 9JS180T	Drum/Drum	Welding Housing 4.769/4.08	8+8	10/12	12.00R20	12
6×4	3600+1350	YC6K1034-30	S2	9JS150T-B	Drum/Drum	Welding Housing 4.875	8+8	10/12	11.00R20	8


Diesel Product Spectrum

C&C Trucks (Diesel)


Tractor



290-420PS




320-380PS




340-480PS


Cargo Truck Chassis



270PS




290-350PS




40m³/380PS

Tipper




5000-7200mm
290-380PS




6800-8800mm
290-380PS

Mixer



10-15m³
336-380PS



14-18m³
380-385PS

NG Truck Products



Economic efficiency

Full combustion without carbon deposition and no dilution for the engine oil;

LNG trucks drive 800-900 km with double tanks and more than 1100 km with three tanks.

Easy cold start

Extremely easy to ignite with power unaffected for LNG trucks.

Safety & Reliability

The ignition temperature of LNG and CNG is 650 °C.

The explosion limit of LNG is 5-15%, much safer than petrol, diesel and LPG.

Tractor Specifications

Drive Form	Wheelbase(mm)	Engine	Cab	Transmission	Brake System	Rear Axle/Ratio	Frame(mm)	Suspension	Tire	GCW(kg)
4×2	4200	YC6L260N-52	H2	9JS119TA	Drum/Drum	Welding Housing 4.875	8+5	10/12	11.00R20	32320
4×2	4200	YC6K1034N-50	H2	12JSD160TA	Disc/Drum	Welding Housing 4.11	8	3/4+3	12R22.5	32470 29320
6×2	1950+2650	YC6K1034N-50	H2	12JSD160T	Drum/Drum	Welding Housing 4.11	8	3/4+3	12R22.5	37570
6×4	3825+1350	YC6K1340N-50 YC6K1034N-50	H2	12JSD180TA 12JSD160TA	Drum/Drum	Welding Housing 4.11	8	3/4	12R22.5	38855 40000
6×4	3825+1350	YC6K1338N-50 YC6K1342N-50	H2	12JSD180TA 12JSD200TA	Drum/Drum	Welding Housing 5.26	8+8	10/12	12.00R20	40000

Tipper Specifications


Drive Form	Wheelbase(mm)	Engine	Cab	Transmission	Brake System	Rear Axle/Ratio	Frame(mm)	Suspension	Tire	Upbody(mm)
8×4	1950+4350+1350	YC6K1338N-50	S2	12JSD180TA	Drum/Drum	Welding Housing 4.769	8+8	12/12/13	12.00R20	8000/8200
8×4	1950+3850+1350	YC6K1034N-50 YC6K1338N-50	S2	12JSD160TA 12JSD180TA	Drum/Drum	Welding Housing 5.286/4.769	8+8	12/12/13	12.00R20	7600/7800
6×4	3825+1350	YC6K1034N-50 YC6K1338N-50	S2	10JSD180 10JSD140	Drum/Drum	Welding Housing 4.769/5.26	8+8	12/13	11.00R20 12.00R20	5600/5800
6×4	4200+1350	YC6K1034N-50 YC6K1338N-50	S2	10JSD180 12JSD160T	Drum/Drum	Welding Housing 4.26/5.26	8+8	12/13	11.00R20 12.00R20	6000/6200

Concrete Mixer

Drive Form	Wheelbase(mm)	Engine	Cab	Transmission	Brake System	Rear Axle/Ratio	Frame(mm)	Suspension	Tire	Mixer Capacity(mm)
8×4	1950+3450+1350	YC6K1340N-50	S2	9JS180T	Drum/Drum	Welding Housing 4.769	8+8	10/10/12	12.00R20	16/18

6×4	3825+1350	YC6MK340N-40 YC6K1034N-50	S2	9JS135T-B 9JS150T-B	Drum/Drum	Welding Housing 4.769/4.11	8+8	10/12	11.00R20	10
6×4	4200+1350	YC6K1034N-50 YC6K1338N-50	S2	9JS150T-B 9JS180T	Drum/Drum	Welding Housing 4.769/3.866	8+8	10/12	12.00R20	12

NG Product Spectrum



По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93